

[Home](#) [Index](#) [Resources](#) [Contacts](#) [Internet Search](#)

USF

[Patent Intranet](#) > [SIRA](#) > [STIC](#) > **NPL Multi-Search**



Scientific and Technical Information Center

[Home](#)

[About Us](#)

[Feedback](#)

[Sign Up!](#)

[FAQs](#)

Search

Refine Search | [New Search](#)

Topics | **Date** | **Journals** | **Authors**

Clustered Results

All Topics

Tachykinin (5)

Other (10)

Results By Source

HighWire Press (7)

Knovel Library (1)

PubMed (3)

ScienceDirect

Journals (12)

Sort By: [Date](#) | [Title](#) | [Author](#) | [Source](#) | [Filter](#)

Results 1-15 of 15 returned for "full text contains (or "GR-205171") and paroxetine" (15 total)

1

☐ Select all records :: 0 selected records; Email ▾ or E:

- ☐ **1. Treatment of nausea and vomiting: Gaps in**
Gareth J. Sanger and Paul L.R. Andrews.

Autonomic Neuroscience

30 October 2006. Vol.129,Iss.1-2;p.3

Source: **ScienceDirect Journals**

Show In Clusters

STIC Full Text Retrieval Options

- ☐ **2. Antidepressant-like activity of selective ser**
inhibitors combined with a NK1 receptor anta
mouse forced swimming test.

Chenu F; Guiard BP; Bourin M; Gardier AM.

Behavioural brain research (0166-4328)

2006 Sep 25. Vol.172,Iss.2;p.256-63

Source: **PubMed**

Show In Clusters

STIC Full Text Retrieval Options

- ☐ **3. Sustained pharmacological blockade of NK**
receptors causes functional desensitization o
HT 1A autoreceptors in mice.

Guiard BP; Froger N; Hamon M; Gardier AM; La

Journal of neurochemistry (0022-3042)

2005 Dec. Vol.95,Iss.6;p.1713-23

Source: **PubMed**

Show In Clusters
STIC Full Text Retrieval Options

- ☐ **4. Effect of neurokinin-1 receptor antagonists serotonergic, noradrenergic and hippocampal: Comparison with antidepressant drugs**
 Gabriella Gobbi and Pierre Blier.
Peptides
 August 2005. Vol.26,Iss.8:p.1383
 Source: **ScienceDirect Journals**
Show In Clusters
STIC Full Text Retrieval Options
- ☐ **5. The tail suspension test as a model for antidepressant activity: Review of pharmacological and genetic studies in mice**
 John F. Cryan, Cedric Mombereau and Annick Vauzour.
Neuroscience & Biobehavioral Reviews
 2005. Vol.29,Iss.4-5:p.571
 Source: **ScienceDirect Journals**
Show In Clusters
STIC Full Text Retrieval Options
- ☐ **6. Blockade of substance P (neurokinin 1) receptor antagonists attenuates extracellular serotonin when combined with a serotonin reuptake inhibitor: an in vivo microdialysis study**
 Guiraud BP; Przybylski C; Guilloux JP; Seif I; Froger J; Hunt SP; Lanfumey L; Gardier AM.
Journal of neurochemistry (0022-3042)
 2004 Apr. Vol.89,Iss.1:p.54-63
 Source: **PubMed**
Show In Clusters
STIC Full Text Retrieval Options
- ☐ **7. A 25 year adventure in the field of tachykinin receptor antagonists**
 Jean-Claude Beaujouan, Yvette Torrens, Monique Louise Kemel and Jacques Glowinski.
Peptides
 March 2004. Vol.25,Iss.3:p.339
 Source: **ScienceDirect Journals**
Show In Clusters
STIC Full Text Retrieval Options
- ☐ **8. Stress-induced increase of cortical dopamine release is attenuated by a tachykinin NK1 receptor antagonist**
 Peter H. Hutson, Shil Patel, Mark T. Jay and Christopher J. Heyes.
European Journal of Pharmacology
 19 January 2004. Vol.484,Iss.1:p.57
 Source: **ScienceDirect Journals**
Show In Clusters

Alessandro Zocchi, Giorgia Varnier, Roberto Art Griffante, Lara Zanetti, Letizia Bettelini, Mario M. Gerrard and Mauro Corsi.

Neuroscience Letters

17 July 2003. Vol.345,Iss.2;p.73

Source: [ScienceDirect Journals](#)

[Show In Clusters](#)

[STIC Full Text Retrieval Options](#)

- 10. **Chronic substance P (NK1) receptor antagonist treatment increases monoamine neurotransmission in the locus coeruleus**
K. A. Maubach, K. Martin, G. Chicchi, T. Harrison, J. Swain, M. J. Cumberbatch, N. M. J. Rupniak and Seabrook.

Neuroscience

14 February 2002. Vol.109,Iss.3;p.609

Source: [ScienceDirect Journals](#)

[Show In Clusters](#)

[STIC Full Text Retrieval Options](#)

- 11. **Receptor systems mediating c-fos expression in the trigeminal nucleus caudalis in animal models**
Dimos D. Mitsikostas and Margarita Sanchez de Guzman
Brain Research Reviews
March 2001. Vol.35,Iss.1;p.20

Source: [ScienceDirect Journals](#)

[Show In Clusters](#)

[STIC Full Text Retrieval Options](#)

- 12. **Pharmacological characterization of tachykinin-sensitive binding sites in the rat submaxillary gland**
Jean-Claude Beaujouan, Monique Saffroy, Yvett Sandrine Sagan and Jacques Glowinski.
Peptides

November 1999. Vol.20,Iss.11;p.1347

Source: [ScienceDirect Journals](#)

[Show In Clusters](#)

[STIC Full Text Retrieval Options](#)

- 13. **Substance P receptor (neurokinin-1)-expressing neurons in the spinal cord encode for the intensity of nociceptive stimulation: a c-fos study in rat**
C.A. Doyle and S.P. Hunt.

Neuroscience

March 1999. Vol.89,Iss.1;p.17

Source: [ScienceDirect Journals](#)

[Show In Clusters](#)

[STIC Full Text Retrieval Options](#)

- 14. **The tachykinin NK1 receptor. Part II: Distribution and pathophysiological roles**
L. Quartara and C. A. Maggi.

Neuropeptides

February 1998. Vol.32,Iss.1;p.1

Source: [ScienceDirect Journals](#)

[Show In Clusters](#)[STIC Full Text Retrieval Options](#)

- ☐ 15. **The tachykinin NK1 receptor. Part I: Ligand mechanisms of cellular activation**
L. Quartara and C. A. Maggi.

Neuropeptides

December 1997. Vol.31,iss.6.p.537

Source: [ScienceDirect Journals](#)[Show In Clusters](#)[STIC Full Text Retrieval Options](#)

1

**Missing check box indicates resource temporarily unavailable.*

*Please obey [MPEP Section 904.02 \(c\) - Internet Searching \[R3\]](#) and USPTO "Rules of the Road ([PDF Doc](#))" when
If you cannot access a file because of a missing or non-working plugin, please contact the Help Desk at 2-8000 for*

[Intranet Home](#) | [Index](#) | [Resources](#) | [Contacts](#) | [Internet](#) | [Search](#) | [Firewall](#) | [Web Serv](#)

Last modified 04/07/2009 13:41:55

A service of the U.S. National Library of Medicine
and the National Institutes of Health
[Sign in](#) | [Register](#)

[All Databases](#) [PubMed](#) [Nucleotide](#) [Protein](#) [Genome](#) [Structure](#) [OMIM](#) [PMC](#)
[Journals](#) [Books](#)

Search **PubMed** for [Preview](#)
[Go](#) [Clear](#)

[Advanced Search](#)
[Text Version](#)

[Limits](#) [Preview/Index](#) [History](#) [Clipboard](#) [Details](#)

Entrez PubMed

[Overview](#)
[Help](#) | [FAQ](#)
[Tutorials](#)
[New/Noteworthy](#) 
[E-Utilities](#)

[New](#) Try the new Advanced Search
Incorporating Limits, History, Preview/Index, Details, and Citation Search

Query #3 deleted.

[PubMed Services](#)
[Journals Database](#)
[MeSH Database](#)
[Single Citation Matcher](#)
[Batch Citation Matcher](#)
[Clinical Queries](#)
[Special Queries](#)
[LinkOut](#)
[My NCBI](#)

- Search History will be lost after eight hours of inactivity.
- Search numbers may not be continuous; all searches are represented.
- To save search indefinitely, click query # and select Save in My NCBI.
- To combine searches use #search, e.g., #2 AND #3 or click query # for more options.

[Related Resources](#)
[Order Documents](#)
[NLM Mobile](#)
[NLM Catalog](#)
[NLM Gateway](#)
[TOXNET](#)
[Consumer Health](#)
[Clinical Alerts](#)
[ClinicalTrials.gov](#)
[PubMed Central](#)

Search	Most Recent Queries	Time	Result
#5	Search depression and paroxetine	13:39:58	1832
#4	Search ("GR 205171" OR "GR-205171") and depression and paroxetine	13:39:50	1
#2	Search ("GR 205171" or "GR-205171") and depression	13:39:39	5
#1	Search ("GR 205171" or "GR-205171")	13:39:33	56

[Clear History](#)

Write to the Help Desk
NCBI | NLM | NIH
Department of Health & Human Services
[Privacy Statement](#) | [Freedom of Information Act](#) | [Disclaimer](#)